Page: 1/8

# Safety Data Sheet

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 18, 2019

### 1 Identification

- · Product identifier
- · Trade name: Tap Magic H₂OX Semi-Synthetic Metalworking Fluid
- · Other means of identification: No other identifiers
- · Recommended use and restriction on use
- · Recommended use: Coolant
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

The Steco Corporation 2330 Cantrell Road Little Rock, AR 72203 USA (501) 375-5644

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## 2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: None.
- · Signal word: Warning
- Hazard statements:

H320 Causes eye irritation.

· Precautionary statements:

Wash thoroughly after handling. P264

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

P337+P313 NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0Instability = 0

· HMIS-ratings (scale 0 - 4)

1 Health = 1 REACTIVITY 

Reactivity = 0

Fire = 0

• Other hazards There are no other hazards not otherwise classified that have been identified.

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 18, 2019

Trade name: Tap Magic H₂OX Semi-Synthetic Metalworking Fluid

(Cont'd. of page 1)

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:				
102-71-6	Triethanolamine		15-30%	
	Trade Secret Ingredient	Eye Irrit. 2B, H320	5-30%	
121-33-5	Vanillin	🗘 Eye Irrit. 2A, H319	<1%	

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Nausea in case of ingestion.

May cause gastro-intestinal irritation if ingested.

Irritating to eyes.

Slight irritant effect on skin and mucous membranes.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 18, 2019

Trade name: Tap Magic H₂OX Semi-Synthetic Metalworking Fluid

(Cont'd. of page 2)

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment as required.

**Environmental precautions** 

Avoid release to the environment.

Prevent from spreading (e.g. by damming-in or oil barriers).

· Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Open and handle receptacle with care.

Keep out of reach of children.

Avoid breathing mist, vapors, or spray.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace	<b>)</b> :
400 74 0 Tole the construction	

#### 102-71-6 Triethanolamine

TLV (USA) Long-term value: 5 mg/m³ EL (Canada) Long-term value: 5 mg/m³

EV (Canada) Long-term value: 3.1 mg/m³, 0.5 ppm

LMPE (Mexico) Long-term value: 5 mg/m<sup>3</sup>

121-33-5 Vanillin

WEEL (USA) Long-term value: 10 mg/m³

Exposure controls

(Cont'd. on page 4)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 18, 2019

### Trade name: Tap Magic H₂OX Semi-Synthetic Metalworking Fluid

(Cont'd. of page 3)

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Not required under normal conditions of use.

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

· Protection of hands:

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

## 9 Physical and chemical properties

Information on basic physical and chemical properties				
Appearance: Form:	Liquid			
Color:	Amber colored			
Odor:	Slight.			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Melting point/Melting range:	Not determined.			
Boiling point/Boiling range:	>100 °C (>212 °F)			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Auto-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
Oxidizing properties:	Non-oxidizing.			

(Cont'd. on page 5)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 18, 2019

### Trade name: Tap Magic H₂OX Semi-Synthetic Metalworking Fluid

(Cont'd. of page 4)

· Vapor pressure: Not determined.

· Density:

Relative density: >1

Vapor density: Not determined. Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** Not determined. **Kinematic:** Not determined.

• Other information No relevant information available.

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with strong acids.

- · Conditions to avoid Excessive heat.
- Incompatible materials

Oxidizers

Strong acids

Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Causes eye irritation.
- · Sensitization: Based on available data, the classification criteria are not met.
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

(Cont'd. on page 6)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 18, 2019

### Trade name: Tap Magic H₂OX Semi-Synthetic Metalworking Fluid

(Cont'd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- ·Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- · Additional ecological information
- · General notes: Avoid release to the environment.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- · UN-Number
- DOT, ADR/RID/ADN, IMDG, IATA Not regulated.
- UN proper shipping name
- · DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

(Cont'd. on page 7)

Page: 7/8

# **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 18, 2019

Trade name: Tap Magic H₂OX Semi-Synthetic Metalworking Fluid

(Cont'd. of page 6) Transport hazard class(es) · DOT, ADR/RID/ADN, IMDG, IATA · Class Not regulated. · Packing group DOT, ADR/RID/ADN, IMDG, IATA Not regulated. · Environmental hazards · Marine pollutant: Nο Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

None of the ingredients is listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

(Cont'd. on page 8)

Page: 8/8

# **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 18, 2019

### Trade name: Tap Magic H₂OX Semi-Synthetic Metalworking Fluid

(Cont'd. of page 7)

· Canadian Domestic Substances List (DSL): (Substances not listed.)

All ingredients are listed.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com