

# BG272 INDUSTRIAL BELT GRINDER

AMERICAN-MADE PERFORMANCE FOR HIGH-DEMAND METALWORKING



Trusted by fabrication pros for over 50 years. www.kalamazooind.com

# MEET THE BG272

YOUR HIGH-SPEED GRINDER FOR FASTER TURNAROUNDS AND CLEANER FINISHES.

- 1HP 1PH OR 3PH
- 2" x 72" BELT
- 7,200 SFPM
- DIRECT-DRIVE POWER
- Built for industrial workloads





#### TECHNICAL SPECIFICATIONS

Belt Size: 2" x 72"

Belt Speed: 7,200 SFPM

Motor Options: 1HP 1PH 220V only or 3PH 220 or 440V

Lower Contact Wheel: 5"

Throat Dimensions: 10"H x 13"D

Machine Weight: 165 lbs

MADE IN USA



### WHAT MAKES THE BG272 DIFFERENT?

- INDUSTRIAL-GRADE PERFORMANCE
- FAST BELT CHANGES REDUCE DOWNTIME
- MULTI-POSITION HEAD FOR MAXIMUM VERSATILITY
- Runs all 2x72 abrasives
- ROBUST STEEL CONSTRUCTION
- MADE IN USA



# **APPLICATIONS**

#### **DEAL FOR:**

- Fabrication shops
- STEEL AND METAL SUPPLY
- RAILINGS AND GATES
- SINGLE IRON DOORS
- IRON GATES FOR HOMES
- MACHINE SHOPS
- REPAIR FACILITIES









#### **PRODUCTIVITY BENEFITS**

Faster material removal

Clean, precise finishing

Quick task switching

Less operator fatigue

Fewer reworks and better final quality



#### WHY CHOOSE THE BG272?

American-made durability

Superior performance vs imports

Better tracking & finish quality

Reliable long-term parts support

One tool for many shop tasks



#### **RETURN ON INVESTMENT**

Saves time on each part

Reduces scrap and mistakes

Lower maintenance cost

Long lifespan = significant long-term savings



#### **BG272 VS STANDARD GRINDERS**

Heavier, industrial frame

Higher belt speed

Stronger motor

Easier belt tracking

MADE IN USA advantage



#### **SAFETY & RELIABILITY**

Manual switch control

Smooth tracking adjustments

No weak components

Long-term parts availability



#### FITS ANY SHOP

Bench or table mount

Works with standard abrasives

Ideal for rough grinding to final finishing

Designed for daily industrial use



# **READY TO LEVEL UP YOUR SHOP?**

Request a quote today!

Visit: kalamazooind.com

Call: (269) 382-2050

